

Thank you for purchasing this Factory Service Manual CD/DVD from [servicemanuals4u.com](http://servicemanuals4u.com).

Please check out our eBay auctions for more great deals on Factory Service Manuals:

[servicemanuals4u](http://servicemanuals4u.com)

# maintenance & service guide

## Presario 1200 Series

Model XL2, XL201, XL202, XL203, XL204, XL205, XL212, XL220, XL222, XL223,  
XL3, XL301, XL302, XL303, XL304, XL305, XL307, XL310, XL311,  
XL312, XL314, XL320, XL323, XL325, XL326, XL327, XL330

## Product Description

### Models and Features

#### XL2, XL201-205

Compaq Presario 1200 Series Portable Notebook Computer Models			
Feature	XL2	XL201	XL202
<b>Display</b>	12.1-in HPA	12.1-in HPA	12.1-in HPA
<b>Processor</b>	Cel/566(128) FCPGA	Cel/566(128) FCPGA	Cel/566(128) FCPGA
<b>Hard Drive</b>	5.0 GB	5.0 GB	5.0 GB
<b>CD or DVD</b>	24X CD-Rom	24X CD-Rom	24X CD-Rom
<b>Diskette Drive</b>	1.44 Std. Diskette	1.44 Std. Diskette	1.44 Std. Diskette
<b>Modem</b>	56K Mini PCI d/f 1, Bear*	56K Mini PCI d/f 1, Bear*	56K Mini PCI d/f 2, Seminole*
<b>Battery</b>	3.8 NiMH	3.8 NiMH	3.8 NiMH
<b>System Memory</b>	32 MB	32 MB	64 MB
Feature	XL203	XL204	XL205
<b>Display</b>	12.1-in HPA	13.0-in HPA	12.1-in HPA
<b>Processor</b>	Cel/566(128) FCPGA	Cel/566(128) FCPGA	Cel/566(128) FCPGA
<b>Hard Drive</b>	5.0 GB	5.0 GB	5.0 GB
<b>CD or DVD</b>	24X CD-Rom	24X CD-Rom	24X CD-Rom
<b>Diskette Drive</b>	1.44 Std. Diskette	1.44 Std. Diskette	1.44 Std. Diskette
<b>Modem</b>	56K Mini PCI d/f 2 Seminole*	56K Mini PCI d/f 1, Bear*	56K Mini PCI d/f 2&3*
<b>Battery</b>	3.8 NiMH	3.8 NiMH	3.8 NiMH
<b>System Memory</b>	32 MB	32 MB	64 MB

\*[See Modem Legend](#)

[Additional Models on Next Page](#)

1.800.AT.COMPAQ



# maintenance & service guide

## Presario 1200 Series

Model XL2, XL201, XL202, XL203, XL204, XL205, XL212, XL220, XL222, XL223, XL3, XL301, XL302, XL303, XL304, XL305, XL307, XL310, XL311, XL312, XL314, XL320, XL323, XL325, XL326, XL327, XL330

### XL212-223

Compaq Presario 1200 Series Portable Notebook Computer Models				
Feature	XL212	XL220	XL222	XL223
<b>Display</b>	13.3-in TFT	13.0-in HPA	12.1-in TFT	13.3-in TFT
<b>Processor</b>	PIII/650(256) FCPGA	Cel/600(128) FCPGA	Cel/566(128) FCPGA	Cel/600(128) FCPGA
<b>Hard Drive</b>	5.0 GB	6.0 GB	5.0 GB	6.0 GB
<b>CD or DVD</b>	24X CD-Rom	24X CD-Rom	24X CD-Rom	DVD
<b>Diskette Drive</b>	1.44 Std. Diskette	1.44 Std. Diskette	1.44 Std. Diskette	1.44 Std. Diskette
<b>Modem</b>	56K Mini PCI d/f 2&3*	56K Mini PCI d/f 1*	56K Mini PCI d/f 2, Seminole*	56K Mini PCI d/f 1*
<b>Battery</b>	3.2 Li-ion	3.2 Li-ion	3.2 Li-ion	3.2 Li-ion
<b>System Memory</b>	64 MB	64 MB	64 MB	64 MB

*\* Modem Legend*

1) 56K Mini PCI d/f 1 = Bear/Grizzly Modem/NIC Combo = NA, CKK, LA

2) 56K Mini PCI d/f 2 = Seminole = EMEA/APD

3) 56K Mini PCI d/f 3 = Seminole 2 = All AUS/NZ

[Additional Models on Next Page](#)



# maintenance & service guide

## Presario 1200 Series

Model XL2, XL201, XL202, XL203, XL204, XL205, XL212, XL220, XL222, XL223, XL3, XL301, XL302, XL303, XL304, XL305, XL307, XL310, XL311, XL312, XL314, XL320, XL323, XL325, XL326, XL327, XL330

### XL3, XL301-310

Compaq Presario 1200 Series Portable Notebook Computer Models				
Feature	XL3	XL301	XL302	XL303
<b>Display</b>	12.1-in HPA	12.1-in HPA	12.1-in HPA	12.1-in TFT
<b>Processor</b>	Cel/566(128) FCPGA	Cel/600(128) FCPGA	Cel/600(128) FCPGA	Cel/600(128) FCPGA
<b>Hard Drive</b>	5.0 GB	5.0 GB	5.0 GB	6.0 GB or 10.0 GB
<b>CD or DVD</b>	24X CD-Rom	24X CD-Rom	24X CD-Rom	24X CD-Rom
<b>Diskette Drive</b>	1.44 Std. Diskette	1.44 Std. Diskette	1.44 Std. Diskette	1.44 Std. Diskette
<b>Modem</b>	56K Mini PCI d/f 1, Bear*	56K Mini PCI d/f 1*	56K Mini PCI d/f 2, Seminole*	56K Mini PCI d/f 2*
<b>Battery</b>	3.8 NiMH	3.8 NiMH	3.8 NiMH	3.2 Li-ion or 3.8 NiMH
<b>System Memory</b>	32 MB	64 MB	64 MB	64 MB
Feature	XL304	XL305	XL307	XL310
<b>Display</b>	13.0-in HPA	12.1-in TFT	13.3-in TFT	12.1-in TFT
<b>Processor</b>	Cel/600(128) FCPGA	Cel/600(128) FCPGA	Cel/600(128) FCPGA	Cel/600(128) FCPGA
<b>Hard Drive</b>	6.0 GB	6.0 GB	6.0 GB or 10.0 GB	6.0 GB
<b>CD or DVD</b>	24X CD-Rom	24X CD-Rom	8X DVD	8X DVD
<b>Diskette Drive</b>	1.44 Std. Diskette	1.44 Std. Diskette	1.44 Std. Diskette	1.44 Std. Diskette
<b>Modem</b>	56K Mini PCI d/f 1, Bear*	56K Mini PCI d/f 1&3*	56K Mini PCI d/f 2*	56K Mini PCI d/f 1*
<b>Battery</b>	3.8 NiMH	3.8 NiMH	3.2 Li-ion	3.2 Li-ion
<b>System Memory</b>	64 MB	64 MB	64 MB	64 MB

[\\*See Modem Legend](#)

[Additional Models on Next Page](#)



# maintenance & service guide

## Presario 1200 Series

Model XL2, XL201, XL202, XL203, XL204, XL205, XL212, XL220, XL222, XL223, XL3, XL301, XL302, XL303, XL304, XL305, XL307, XL310, XL311, XL312, XL314, XL320, XL323, XL325, XL326, XL327, XL330

### XL311-325

Compaq Presario 1200 Series Portable Notebook Computer Models			
Feature	XL311	XL312	XL314
<b>Display</b>	13.3-in TFT	12.1-in TFT	13.3-in TFT
<b>Processor</b>	Cel/700(256) FCPGA	PIII/700(256) FCPGA	PIII/700(256) FCPGA
<b>Hard Drive</b>	10.0 GB	6.0 GB	6.0 GB
<b>CD or DVD</b>	8X DVD	24X CD-Rom	24X CD-Rom
<b>Diskette Drive</b>	1.44 Std. Diskette	1.44 Std. Diskette	1.44 Std. Diskette
<b>Modem</b>	56K Mini PCI d/f 1*	56K Mini PCI d/f 1&3*	56K Mini PCI d/f 1&3*
<b>Battery</b>	3.2 Li-ion	3.2 Li-ion	3.2 Li-ion
<b>System Memory</b>	64 MB	64 MB	64 MB
Feature	XL320	XL323	XL325
<b>Display</b>	12.1-in TFT	13.3-in TFT	13.3-in TFT
<b>Processor</b>	Cel/633(128) FCPGA	Cel/633(128) FCPGA	PIII/650(256) FCPGA
<b>Hard Drive</b>	6.0 GB	10.0 GB	6.0 GB
<b>CD or DVD</b>	24X CD-Rom	8X DVD	8X DVD
<b>Diskette Drive</b>	1.44 Std. Diskette	1.44 Std. Diskette	1.44 Std. Diskette
<b>Modem</b>	56K Mini PCI d/f 1*	56K Mini PCI d/f 1*	56K Mini PCI d/f 1*
<b>Battery</b>	3.2 Li-ion	3.8 NiMH	3.2 Li-ion
<b>System Memory</b>	64 MB	64 MB	64 MB

#### \* Modem Legend

- 1) 56K Mini PCI d/f 1 = Bear/Grizzly Modem/NIC Combo = NA, CKK, LA
- 2) 56K Mini PCI d/f 2 = Seminole = EMEA/APD
- 3) 56K Mini PCI d/f 3 = Seminole 2 = All AUS/NZ

[Additional Models on Next Page](#)



# maintenance & service guide

## Presario 1200 Series

Model XL2, XL201, XL202, XL203, XL204, XL205, XL212, XL220, XL222, XL223, XL3, XL301, XL302, XL303, XL304, XL305, XL307, XL310, XL311, XL312, XL314, XL320, XL323, XL325, XL326, XL327, XL330

### XL326-330

Compaq Presario 1200 Series Portable Notebook Computer Models			
Feature	XL326	XL327	XL330
<b>Display</b>	13.0-in HPA	13.0-in HPA	12.1-in TFT
<b>Processor</b>	Cel/600(128) FCPGA	Cel/633(128) FCPGA	PIII/650(256) FCPGA
<b>Hard Drive</b>	6.0 GB	6.0 GB	6.0 GB
<b>CD or DVD</b>	24X CD-Rom	24X CD-Rom	24X CD-Rom
<b>Diskette Drive</b>	1.44 Std. Diskette	1.44 Std. Diskette	1.44 Std. Diskette
<b>Modem</b>	56K Mini PCI d/f 1*	56K Mini PCI d/f 1*	56K Mini PCI d/f 1*
<b>Battery</b>	3.2 Li-ion	3.2 Li-ion	3.2 Li-ion
<b>System Memory</b>	128 MB	64 MB	64 MB

#### \* Modem Legend


- 1) 56K Mini PCI d/f 1 = Bear/Grizzly Modem/NIC Combo = NA, CKK, LA
- 2) 56K Mini PCI d/f 2 = Seminole = EMEA/APD
- 3) 56K Mini PCI d/f 3 = Seminole 2 = All AUS/NZ

# maintenance & service guide

## Presario 1200 Series

Model XL2, XL201, XL202, XL203, XL204, XL205, XL212, XL220, XL222, XL223, XL3, XL301, XL302, XL303, XL304, XL305, XL307, XL310, XL311, XL312, XL314, XL320, XL323, XL325, XL326, XL327, XL330

### Front of Unit




Description	
①	Display Release Latch
②	Display
③	Power (On/Off) Button
④	Lid Switch
⑤	Speakers
⑥	Right TouchPad Button
⑦	Scroll Button
⑧	Left TouchPad Button
⑨	TouchPad
⑩	Keyboard

# maintenance & service guide

## Presario 1200 Series

Model XL2, XL201, XL202, XL203, XL204, XL205, XL212, XL220, XL222, XL223, XL3, XL301, XL302, XL303, XL304, XL305, XL307, XL310, XL311, XL312, XL314, XL320, XL323, XL325, XL326, XL327, XL330

### Internet Zone Buttons and Lights



Description	
① Num Lock Light	④ Instant E-mail Access Button
② Caps Lock Light	⑤ Retail Central Button
③ Instant Internet Access Button	⑥ Power Button




## maintenance & service guide

### Presario 1200 Series

Model XL2, XL201, XL202, XL203, XL204, XL205, XL212, XL220, XL222, XL223, XL3, XL301, XL302, XL303, XL304, XL305, XL307, XL310, XL311, XL312, XL314, XL320, XL323, XL325, XL326, XL327, XL330

### Front Bezel Components




Description	
❶ Power (On/Off) Light	❷ Volume Down Button
❸ Battery Charge Light	❹ Volume Up Button
❹ AC Power Light	

# maintenance & service guide

## Presario 1200 Series

Model XL2, XL201, XL202, XL203, XL204, XL205, XL212, XL220, XL222, XL223, XL3, XL301, XL302, XL303, XL304, XL305, XL307, XL310, XL311, XL312, XL314, XL320, XL323, XL325, XL326, XL327, XL330

### Right-Side Components




Description	
❶	Battery Compartment
❷	PC Card Eject Button
❸	PC Card Slot
❹	Microphone Jack
❺	Headphone Jack

## maintenance & service guide

### Presario 1200 Series

Model XL2, XL201, XL202, XL203, XL204, XL205, XL212, XL220, XL222, XL223, XL3, XL301, XL302, XL303, XL304, XL305, XL307, XL310, XL311, XL312, XL314, XL320, XL323, XL325, XL326, XL327, XL330

### Left-Side Components




Description	
❶ Security Slot	❷ CD or DVD Manual Eject Hole
❸ CD or DVD Player	❹ Diskette Drive
❺ CD/DVD Eject Button	❻ Diskette Drive Eject Button

# maintenance & service guide

## Presario 1200 Series

Model XL2, XL201, XL202, XL203, XL204, XL205, XL212, XL220, XL222, XL223, XL3, XL301, XL302, XL303, XL304, XL305, XL307, XL310, XL311, XL312, XL314, XL320, XL323, XL325, XL326, XL327, XL330

### *Underneath the Unit*




Description			
❶	Stand Feet	❷	Serial and Model Number
❸	Memory Compartment	❹	Speaker Ports
		❺	Modem Compartment

# maintenance & service guide

## Presario 1200 Series

Model XL2, XL201, XL202, XL203, XL204, XL205, XL212, XL220, XL222, XL223, XL3, XL301, XL302, XL303, XL304, XL305, XL307, XL310, XL311, XL312, XL314, XL320, XL323, XL325, XL326, XL327, XL330

### Rear Connectors



Description	
❶ Modem	❺ Fan Vent
❷ AC Power	❻ VGA External Monitor
❸ Keyboard/Mouse Port	❼ USB Ports
❹ Printer/Parallel Port	