

Thank you for purchasing this Factory Service Manual CD/DVD from servicemanuals4u.com.

Please check out our eBay auctions for more great deals on Factory Service Manuals:

servicemanuals4u

maintenance & service guide

Presario 1700 Series

Models: XL260, XL261, XL262, XL264, XL265, XL266, XL274, XL275, XL360, XL361, XL362, XL363, XL364, XL365, XL366, XL367, XL368, XL369, XL370, XL371, XL372, XL373, XL374, XL375, XL376, XL377, and XL378

Product Description

This chapter describes the features of each of the Presario 1700XL Series Notebooks. It also provides illustrations of the exterior components of these units.



1.800.AT.COMPAQ

maintenance & service guide

Presario 1700 Series

Models: XL260, XL261, XL262, XL264, XL265, XL266, XL274, XL275, XL360, XL361, XL362, XL363, XL364, XL365, XL366, XL367, XL368, XL369, XL370, XL371, XL372, XL373, XL374, XL375, XL376, XL377, and XL378

Models and Features

Compaq Presario 1700 Series Portable Notebook Computer Models					
	XL260	XL261	XL262	XL264	XL265
Display	13.3 in.	13.3 in. & 14.1 in.	14.1 in.	13.3 in.	14.1 in.
Processor	PIII/500(256)	PIII/500(256) & PIII/650(256)	PIII/600(256)	PIII/500(256)	PIII/600(256)
Hard Drive	6.0	6.0 & 12.0	6.0	6.0	6.0
CD or DVD Drive	DVD	DVD	DVD	24X	DVD
Diskette Drive	1.44 Std. Diskette	1.44 Std. Diskette	1.44 Std. Diskette	1.44 Std. Diskette	1.44 Std. Diskette
Modem	56K Mini PCI d/f 1*	56K Mini PCI d/f 2 & 3* & 56K Mini PCI Modem/NIC combo d/f 1*	56K Mini PCI d/f 1*	56K Mini PCI d/f 2 & 3*	56K Mini PCI d/f 1*
Networking	None	None	None	None	None
Battery	3.2 Li-ion	3.2 Li-ion	3.2 Li-ion	3.2 Li-ion	3.2 Li-ion
System Memory	64 MB	64 & 96 MB	64 MB	64 MB	64 MB

** Modem Legend*

56K Mini PCI d/f 1 = Bear/Grizzly Modem/NIC Combo = All NA, CKK, LA

56K Mini PCI d/f 2 = Seminole = All EMEA/APD

56K Mini PCI d/f 3 = Seminole 2 = All AUS/NZ

Continued on the next page

maintenance & service guide

Presario 1700 Series

Models: XL260, XL261, XL262, XL264, XL265, XL266, XL274, XL275, XL360, XL361, XL362, XL363, XL364, XL365, XL366, XL367, XL368, XL369, XL370, XL371, XL372, XL373, XL374, XL375, XL376, XL377, and XL378

Compaq Presario 1700 Series Portable Notebook Computer Models (*Continued*)

	XL266	XL274	XL275
Display	13.3 in.	14.1 in.	14.1 in.
Processor	PIII/500(256)	PIII/600(256)	PIII/650(256)
Hard Drive	6.0	12.0	6.0
CD or DVD Drive	24X	24X	DVD
Diskette Drive	1.44 Std. Diskette	1.44 Std. Diskette	1.44 Std. Diskette
Modem	56K Mini PCI d/f 1*	56K Mini PCI d/f 1*	56K Mini PCI d/f 2 & 3* & 56K Mini PCI Modem/ NIC combo d/f 1*10/100 MBIT Ethernet NIC
Networking	None	None	None
Battery	3.2 Li-ion	3.2 Li-ion	3.2 Li-ion
System Memory	64 MB	128 MB	128 MB

** Modem Legend*

56K Mini PCI d/f 1 = Bear/Grizzly Modem/NIC Combo = All NA, CKK, LA

56K Mini PCI d/f 2 = Seminole = All EMEA/APD

56K Mini PCI d/f 3 = Seminole 2 = All AUS/NZ

Continued on the next page

maintenance & service guide

Presario 1700 Series

Models: XL260, XL261, XL262, XL264, XL265, XL266, XL274, XL275, XL360, XL361, XL362, XL363, XL364, XL365, XL366, XL367, XL368, XL369, XL370, XL371, XL372, XL373, XL374, XL375, XL376, XL377, and XL378

Compaq Presario 1700 Series Portable Notebook Computer Models (Continued)

	XL360	XL361	XL362
Display	14.1 in.	13.3 in.	14.1 in.
Processor	PIII/600 (256)	PIII/700 (256)	PIII/700 (256)
Hard Drive	10.0 GB	15.0 GB	15.0 GB
CD or DVD Drive	DVD	8X DVD	8X DVD
Diskette Drive	1.44 Std. Diskette	1.44 Std. Diskette	1.44 Std. Diskette
Modem	56K Mini PCI d/f 4** iNIC	56K Mini PCI d/f 4 & 5** iNIC	56K Mini PCI d/f 4** iNIC
Networking	None	None	None
Battery	3.2 Li-ion	3.2 Li-ion	3.2 Li-ion
System Memory	64 MB	64 MB	128 MB

** Modem and NIC Legend*

56K Mini PCI v.90 d/f - 1 = Bear = US, CA, CKK, APD, LA

56K Mini PCI v.90 d/f - 2 = Seminole1 = CTR21, EMEA

56K Mini PCI v.90 d/f - 3 = Seminole2 = AUS/NZ

*** Modem/NIC Combo Legend*

56K Mini v.90/NIC - 4 = Grizzly = US, CA, CKK, LA, APD Eng, Korea, Taiwan

56K Mini v.90/NIC - 5 = Yogi = CTR21, EMEA, AUS/NZ, PRC

Continued on the next page

maintenance & service guide

Presario 1700 Series

Models: XL260, XL261, XL262, XL264, XL265, XL266, XL274, XL275, XL360, XL361, XL362, XL363, XL364, XL365, XL366, XL367, XL368, XL369, XL370, XL371, XL372, XL373, XL374, XL375, XL376, XL377, and XL378

Compaq Presario 1700 Series Portable Notebook Computer Models (Continued)

	XL363	XL364	XL365	XL366
Display	13.3 in.	13.3 in. & 14.1 in.	14.1 in.	13.3 in.
Processor	PIII/650 (256)	PIII/650 (256) PIII/750 (256)	PIII/700 (256)	PIII/600 (256)
Hard Drive	15.0 GB	10.0 GB & 20 GB	15.0 GB	10.0 GB
CD or DVD Drive	24X	24X or CDRW or DVD	DVD	24X
Diskette Drive	1.44 Std. Diskette	1.44 Std. Diskette	1.44 Std. Diskette	1.44 Std. Diskette
Modem	56K Mini PCI d/f 5** iNIC	56K Mini PCI d/f 4 & 5** iNIC	56K Mini PCI d/f 4** iNIC	56K Mini PCI d/f 4** iNIC
Networking	None	None	None	None
Battery	3.2 Li-ion	3.2 Li-ion	3.2 Li-ion	3.2 Li-ion
System Memory	64 MB	64 MB & 128 MB	128 MB	64 MB

** Modem and NIC Legend*

56K Mini PCI v.90 d/f - 1 = Bear = US, CA, CKK, APD, LA

56K Mini PCI v.90 d/f - 2 = Seminole1 = CTR21, EMEA

56K Mini PCI v.90 d/f - 3 = Seminole2 = AUS/NZ

*** Modem/NIC Combo Legend*

56K Mini v.90/NIC - 4 = Grizzly = US, CA, CKK, LA, APD Eng, Korea, Taiwan

56K Mini v.90/NIC - 5 = Yogi = CTR21, EMEA, AUS/NZ, PRC

Continued on the next page

maintenance & service guide

Presario 1700 Series

Models: XL260, XL261, XL262, XL264, XL265, XL266, XL274, XL275, XL360, XL361, XL362, XL363, XL364, XL365, XL366, XL367, XL368, XL369, XL370, XL371, XL372, XL373, XL374, XL375, XL376, XL377, and XL378

Compaq Presario 1700 Series Portable Notebook Computer Models (Continued)

	XL367	XL368	XL369
Display	14.1 in.	14.1 in.	13.3 in.
Processor	Cel/600 (128)	PIII/600 (256)	Cel/650 (128)
Hard Drive	15.0 GB	15.0 GB	10.0 GB
CD or DVD Drive	24X	8X DVD	CD-RW
Diskette Drive	1.44 Std. Diskette	1.44 Std. Diskette	1.44 Std. Diskette
Modem	56K Mini PCI d/f 1*	56K Mini PCI d/f 1*	56K Mini PCI d/f 5** iNIC
Networking	None	None	None
Battery	3.2 Li-ion	3.2 Li-ion	3.2 Li-ion
System Memory	64 MB	64 MB	64 MB

** Modem and NIC Legend*

56K Mini PCI v.90 d/f - 1 = Bear = US, CA, CKK, APD, LA

56K Mini PCI v.90 d/f - 2 = Seminole1 = CTR21, EMEA

56K Mini PCI v.90 d/f - 3 = Seminole2 = AUS/NZ

*** Modem/NIC Combo Legend*

56K Mini v.90/NIC - 4 = Grizzly = US, CA, CKK, LA, APD Eng, Korea, Taiwan

56K Mini v.90/NIC - 5 = Yogi = CTR21, EMEA, AUS/NZ, PRC

Continued on the next page

maintenance & service guide

Presario 1700 Series

Models: XL260, XL261, XL262, XL264, XL265, XL266, XL274, XL275, XL360, XL361, XL362, XL363, XL364, XL365, XL366, XL367, XL368, XL369, XL370, XL371, XL372, XL373, XL374, XL375, XL376, XL377, and XL378

Compaq Presario 1700 Series Portable Notebook Computer Models (Continued)

	XL370	XL371	XL372
Display	14.1 in.	14.1 in.	13.3 in.
Processor	PIII/650 (256)	PIII/750 (256)	PIII/650 (256)
Hard Drive	10.0 GB	20.0 GB	10.0 GB
CD or DVD Drive	8X DVD	8X DVD	CD-RW
Diskette Drive	1.44 Std. Diskette	1.44 Std. Diskette	1.44 Std. Diskette
Modem	56K Mini PCI d/f 5** iNIC	56K Mini PCI d/f 4** iNIC	56K Mini PCI d/f 5** iNIC
Networking	None	None	None
Battery	3.2 Li-ion	3.2 Li-ion	3.2 Li-ion
System Memory	128 MB & 64 MB	128 MB	64 MB

** Modem and NIC Legend*

56K Mini PCI v.90 d/f - 1 = Bear = US, CA, CKK, APD, LA

56K Mini PCI v.90 d/f - 2 = Seminole1 = CTR21, EMEA

56K Mini PCI v.90 d/f - 3 = Seminole2 = AUS/NZ

*** Modem/NIC Combo Legend*

56K Mini v.90/NIC - 4 = Grizzly = US, CA, CKK, LA, APD Eng, Korea, Taiwan

56K Mini v.90/NIC - 5 = Yogi = CTR21, EMEA, AUS/NZ, PRC

Continued on the next page

maintenance & service guide

Presario 1700 Series

Models: XL260, XL261, XL262, XL264, XL265, XL266, XL274, XL275, XL360, XL361, XL362, XL363, XL364, XL365, XL366, XL367, XL368, XL369, XL370, XL371, XL372, XL373, XL374, XL375, XL376, XL377, and XL378

Compaq Presario 1700 Series Portable Notebook Computer Models (*Continued*)

	XL373	XL374	XL375
Display	14.1 in.	14.1 in.	14.1 in.
Processor	PIII/750 (256)	PIII/700 (256)	PIII/750 (256)
Hard Drive	20.0 GB	15.0 GB	20.0 GB
CD or DVD Drive	DVD	8X DVD	8X DVD
Diskette Drive	1.44 Std. Diskette	1.44 Std. Diskette	1.44 Std. Diskette
Modem	56K Mini PCI d/f 4** iNIC	56K Mini PCI d/f 4** iNIC	56K Mini PCI d/f 4** iNIC
Networking	None	None	None
Battery	3.2 Li-ion	3.2 Li-ion	3.2 Li-ion
System Memory	64 MB	128 MB	128 MB

** Modem and NIC Legend*

56K Mini PCI v.90 d/f - 1 = Bear = US, CA, CKK, APD, LA

56K Mini PCI v.90 d/f - 2 = Seminole1 = CTR21, EMEA

56K Mini PCI v.90 d/f - 3 = Seminole2 = AUS/NZ

*** Modem/NIC Combo Legend*

56K Mini v.90/NIC - 4 = Grizzly = US, CA, CKK, LA, APD Eng, Korea, Taiwan

56K Mini v.90/NIC - 5 = Yogi = CTR21, EMEA, AUS/NZ, PRC

Continued on the next page

maintenance & service guide

Presario 1700 Series

Models: XL260, XL261, XL262, XL264, XL265, XL266, XL274, XL275, XL360, XL361, XL362, XL363, XL364, XL365, XL366, XL367, XL368, XL369, XL370, XL371, XL372, XL373, XL374, XL375, XL376, XL377, and XL378

Compaq Presario 1700 Series Portable Notebook Computer Models (Continued)

	XL376	XL377	XL378	XLTBD
Display	14.1 in.	14.1 in.	13.3 in.	14.1 in.
Processor	PIII/750 (256)	PIII/700 (256)	Cel/700 (128)	PIII/700 (256)
Hard Drive	20.0 GB	20.0 GB	10.0 GB	10.0 GB
CD or DVD Drive	CD-RW	8 X DVD	DVD	8X DVD
Diskette Drive	1.44 Std. Diskette	1.44 Std. Diskette	1.44 Std. Diskette	1.44 Std. Diskette
Modem	56K Mini PCI d/f 4 & 5** iNIC	56K Mini PCI d/f 5** iNIC	56K Mini PCI d/f 5** iNIC	56K Mini PCI d/f 5** iNIC
Networking	None	None	None	None
Battery	3.2 Li-ion	3.2 Li-ion	3.2 Li-ion	3.2 Li-ion
System Memory	128 MB	64 MB	64 MB	128 MB

** Modem and NIC Legend*

56K Mini PCI v.90 d/f - 1 = Bear = US, CA, CKK, APD, LA

56K Mini PCI v.90 d/f - 2 = Seminole1 = CTR21, EMEA

56K Mini PCI v.90 d/f - 3 = Seminole2 = AUS/NZ

*** Modem/NIC Combo Legend*

56K Mini v.90/NIC - 4 = Grizzly = US, CA, CKK, LA, APD Eng, Korea, Taiwan


56K Mini v.90/NIC - 5 = Yogi = CTR21, EMEA, AUS/NZ, PRC

maintenance & service guide

Presario 1700 Series

Models: XL260, XL261, XL262, XL264, XL265, XL266, XL274, XL275, XL360, XL361, XL362, XL363, XL364, XL365, XL366, XL367, XL368, XL369, XL370, XL371, XL372, XL373, XL374, XL375, XL376, XL377, and XL378

Front of Unit



Description			
①	Display Release Latch	⑥	TouchPad
②	Display	⑦	Speakers
③	Power (On/Off) Button	⑧	Left TouchPad Button
④	Lid Switch	⑨	Scroll Button
⑤	Keyboard	⑩	Right TouchPad Button

maintenance & service guide

Presario 1700 Series

Models: XL260, XL261, XL262, XL264, XL265, XL266, XL274, XL275, XL360, XL361, XL362, XL363, XL364, XL365, XL366, XL367, XL368, XL369, XL370, XL371, XL372, XL373, XL374, XL375, XL376, XL377, and XL378

Internet Zone Buttons and Lights




Description	
①	Volume Down Button
②	Volume Up Button
③	Digital Audio Button
④	Power Button
⑤	Instant Internet Access Button
⑥	Instant E-Mail Button
⑦	Retail Central Button
⑧	AC Adapter Light
⑨	Num Lock Light
⑩	Caps Lock Light
⑪	Scroll Lock Light

maintenance & service guide

Presario 1700 Series

Models: XL260, XL261, XL262, XL264, XL265, XL266, XL274, XL275, XL360, XL361, XL362, XL363, XL364, XL365, XL366, XL367, XL368, XL369, XL370, XL371, XL372, XL373, XL374, XL375, XL376, XL377, and XL378

Front Bezel Components



Description


- | | |
|--------------------------|--------------------------|
| ❶ Power (On/Off) Light | ❷ Battery Charge Light |
|--------------------------|--------------------------|

maintenance & service guide

Presario 1700 Series

Models: XL260, XL261, XL262, XL264, XL265, XL266, XL274, XL275, XL360, XL361, XL362, XL363, XL364, XL365, XL366, XL367, XL368, XL369, XL370, XL371, XL372, XL373, XL374, XL375, XL376, XL377, and XL378

Right-Side Components with CD, DVD, or CD-RW Installed



Description

❶	Battery Compartment
❷	Future Bay™ Removable CD, DVD*, or CD-RW* Drive
❸	CD or DVD Eject Button
❹	CD or DVD Manual Eject Hole


**A DVD or CD-RW is available on select models.*

maintenance & service guide

Presario 1700 Series

Models: XL260, XL261, XL262, XL264, XL265, XL266, XL274, XL275, XL360, XL361, XL362, XL363, XL364, XL365, XL366, XL367, XL368, XL369, XL370, XL371, XL372, XL373, XL374, XL375, XL376, XL377, and XL378

Right-Side Components with Diskette or SuperDisk Drive Installed



Description

- ❶ Battery Compartment
- ❷ Future Bay™ Removable Diskette or SuperDisk* Drive
- ❸ Diskette or SuperDisk Eject Button


**SuperDisk is available on select models.*

maintenance & service guide

Presario 1700 Series

Models: XL260, XL261, XL262, XL264, XL265, XL266, XL274, XL275, XL360, XL361, XL362, XL363, XL364, XL365, XL366, XL367, XL368, XL369, XL370, XL371, XL372, XL373, XL374, XL375, XL376, XL377, and XL378

Left-Side Components




Description	
❶ Air Vent	❷ PC Card Slot (Type I or II)
❸ Microphone Jack	❹ PC Card Eject Button
❺ Headphone Jack	

maintenance & service guide

Presario 1700 Series

Models: XL260, XL261, XL262, XL264, XL265, XL266, XL274, XL275, XL360, XL361, XL362, XL363, XL364, XL365, XL366, XL367, XL368, XL369, XL370, XL371, XL372, XL373, XL374, XL375, XL376, XL377, and XL378

Underneath the Unit



Description


- | | |
|---|---------------------------|
| ❶ | Memory Compartment |
| ❷ | Model and Serial Number |
| ❸ | Battery Release Switch |
| ❹ | FutureBay™ Release Switch |
| ❺ | QuikDock Port |

maintenance & service guide

Presario 1700 Series

Models: XL260, XL261, XL262, XL264, XL265, XL266, XL274, XL275, XL360, XL361, XL362, XL363, XL364, XL365, XL366, XL367, XL368, XL369, XL370, XL371, XL372, XL373, XL374, XL375, XL376, XL377, and XL378

Rear Connectors



Description


- | | |
|---|-----------------------------|
| ① | Ethernet Port |
| ② | Modem Port |
| ③ | USB Port |
| ④ | USB Port |
| ⑤ | S-Video Out Port |
| ⑥ | Printer/Parallel Port |
| ⑦ | External Monitor (VGA) Port |
| ⑧ | Security Slot |
| ⑨ | AC Adapter |

maintenance & service guide

Presario 1700 Series


Models: XL260, XL261, XL262, XL264, XL265, XL266, XL274, XL275, XL360, XL361, XL362, XL363, XL364, XL365, XL366, XL367, XL368, XL369, XL370, XL371, XL372, XL373, XL374, XL375, XL376, XL377, and XL378

QuikDock Components



Description	
❶	Release Mechanisms
❷	Alignment Pins
❸	QuikDock Latch
❹	Docking Connector

QuikDock Connectors



Description			
❶	Mouse	❷	S-Video
❷	Keyboard	❸	Serial Port
❸	USB Port	❹	Printer
❹	USB Port	❺	Monitor
❺	AC-3 Digital Audio-Out	❻	1394 (Digital Interface)
❻	Composite TV-Out	❼	AC Adapter