




CONNECTOR CONFIGURATION



I/NO	USE	CONNECTOR & HOUSING SPEC.	TMNL NO.	CIRCUIT	REMARK
A	FATC COMPONENT	AMP 175446	1	RHEOSTAT	COOL FRESH VENT DEF WARM REC
			2	TAIL LAMP	
			3	BATTERY	
			4	POWER TR(B)	
			5	POWER TR(C)	
			6	-	
			7	HUMDITY	
			8	-	
			9	TEMP ACT'R (CCW)	
			10	INTAKE ACT'R (CCW)	
			11	HTD	
			12	IGN 2	
			13	GND	
			14	MODE ACT'R (CW)	
			15	MODE ACT'R (CCW)	
			16	-	
			17	A/CON OUTPUT	
			18	HI SPEED RELAY	
			19	PHOTO SENSOR (+)	
			20	PHOTO SENSOR (GND)	
			21	REAR DEFOG	
			22	TEMP ACT'R (CW)	
			23	INTAKE ACT'R (CW)	
			24	AWS	
			25	IGN 2	
			26	GND	

B	FATC COMPONENT	AMP 175446	1	REAR SENSOR IN
			2	A/C SELECT
			3	AMB SENSOR (+)
			4	EVA. SENSOR (+)
			5	W/TEMP SENSOR (+)
			6	-
			7	-
			8	SENSOR REF (+5V)
			9	INCAR SENSOR OUT
			10	TEMP F/B SIGNAL
			11	MODE F/B SIGNAL
			12	-
			13	-
			14	-
			15	-
			16	SENSOR GND

CIRCUIT DIAGRAM

